



### OUTLINE

Lens Specification - NMV - 16M23				
Specification		Value	1/2"	1/3"
Focal Length		f = 16mm		
Max. Diameter (Ratio)		F = 1:1.4 ~ 16		
Element		7 Group 8 Elements		
Picture Size		6.6 x 8.8mm	4.8 x 6.4mm	4.8 x 3.6mm
Angle	Vertical	22.7 deg.	16.4 deg.	12.3 deg.
	Horizontal	30.0 deg.	21.8 deg.	16.4 deg.
	Diagonal	37.0 deg.	27.0 deg.	20.4 deg.
Distortion (TV)		- 0.05%	-	
Shooting Range at	Vertical	84.4mm	61.2mm	45.9mm
	Horizontal	112.8mm	81.8mm	61.2mm
	Diagonal	141.2mm	102.5mm	76.7mm
Minimum Focus Distance		0.2m		
Flange Back Focus		17.526mm in air		
Back Focus		13.1mm in air		
Filter Screw Size		M25.5 x 0.5		
Effective Diameter	Front	20.2mm		
	Rear	15.5mm		
Mount		C-Mount		
Exit Pupil		340mm		
Temperature Range		-10 ~ +45 deg. C		
Strong Temperature Range		-40 ~ +60 deg. C		
Resolution	Center	100 Line/mm		
	Comer	80 Line/mm		
Weight		81g		

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		Pyramid Imaging, Inc. 4951 E Adamo Dr. Suite 224 Tampa, FL 33605 HUBZone & ISO9001:2008 Certified		Phone: 813-984-0125 Fax: 866-874-9521 Sales@PyramidImaging.com www.PyramidImaging.com		
SCALE:	1.5:1			LENS, 16mm FL, f/1.4, 2/3" MEGAPIXEL		
WEIGHT:	See Table			SIZE	NMV - 16M23	REV A
DR:	BE			B		
CH:				SHEET 1 OF 1		
PROJECT #:	E2338	DO NOT SCALE DRAWING				
DATE DR:	7/11/2007					