



OUTLINE

Lens Specification - NMV - 35M23				
Specification		Value	1/2"	1/3"
Focal Length		f = 35mm		
Max. Diameter (Ratio)		F = 1:1.4 ~ 16		
Element		4 Groups 7 Elements		
Picture Size		6.6 x 8.8mm	4.8 x 6.4mm	4.8 x 3.6mm
Angle	Vertical	10.8 deg.	7.85 deg.	5.89 deg.
	Horizontal	14.4 deg.	10.5 deg.	7.85 deg.
	Diagonal	17.9 deg.	13.1 deg.	9.81 deg.
Distortion (TV)		- 0.05%	-	
Shooting Range at	Vertical	35.8mm	26.0mm	19.5mm
	Horizontal	47.9mm	34.7mm	26.0mm
	Diagonal	60.0mm	43.5mm	32.5mm
Minimum Focus Distance		0.2m		
Flange Back Focus		17.526mm in air		
Back Focus		20.1mm in air		
Filter Screw Size		M27.0 x 0.5		
Effective Diameter	Front	21.5mm		
	Rear	11.7mm		
Mount		C-Mount		
Exit Pupil		- 38.7mm		
Temperature Range		-10 ~ +45 deg. C		
Strong Temperature Range		-40 ~ +60 deg. C		
Resolution	Center	100 Line/mm		
	Comer	80 Line/mm		
Weight				

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		Pyramid Imaging, Inc. 4951 E Adamo Dr. Suite 224 Tampa, FL 33605 HUBZone & ISO9001:2008 Certified		Phone: 813-984-0125 Fax: 866-874-9521 Sales@PyramidImaging.com www.PyramidImaging.com	
SCALE:	1.5:1			LENS, 35mm FL, f/2.0, 2/3" MEGAPIXEL	
WEIGHT:	See Table			SIZE	<b>B</b>
DR:	BE	DO NOT SCALE DRAWING		<b>NMV - 35M23</b> SHEET 1 OF 1	
CH:					
PROJECT #:	E2338				
DATE DR:	7/11/2007				