



**OUTLINE**

Lens specification - NMV - 8M23			
Specification	Value	1/2"	1/3"
Focal length	f = 8mm		
Max. diameter (Ratio)	F = 1:1.4 ~ 16		
Picture Size	6.6 x 8.8mm	4.8 x 6.4	4.8 x 3.6
Angle Vertical	43.9 deg.	32.5 deg.	24.6 deg.
Horizontal	56.5 deg.	42.6 deg.	32.5 deg.
Diagonal	67.0 deg.	52.1 deg.	40.2 deg.
Distortion (TV)	-0.6%	-0.3%	-0.28%
Working Dist. - 500mm	0.016x		
Optical Mag. 400mm	0.020x		
300mm	0.027x		
200mm	0.039x		
100mm	0.075x		
Minimum Focus Distance	0.1m		
Flange Back	17.526mm in air		
Back focus	9.5mm in air		
Filter Screw Size			
Effective Diameter - Front	17.2mm dia.		
Rear	14.6mm dia.		
Mount	C - Mount		
Exit Pupil	- 920mm		
Temperature Range	-10 ~ +45 deg. C		
Strong Temperature Range	-40 ~ +60 deg. C		
Resolution - Center	100 Line/mm		
Corner	100 Line/mm		
Weight	83g		

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		Pyramid Imaging, Inc. 4951 E Adamo Dr. Suite 224 Tampa, FL 33605 HUBZone & ISO9001:2008 Certified		Phone: 813-984-0125 Fax: 866-874-9521 Sales@PyramidImaging.com www.PyramidImaging.com		
SCALE:	2:1			LENS, 8mm FL, f/1.4, 2/3" MEGAPIXEL		
WEIGHT:	See Table			SIZE	NMV - 8M23	REV A
DR:	BE			B		
CH:				DO NOT SCALE DRAWING		
PROJECT #:	E2338			SHEET 1 OF 1		
DATE DR:	7/11/2007					