



1/2" 1.4/4.5mm C		1/3"
Focal Length		f=4.5mm $\pm$ 5%
Max. Diameter (Ratio)		F=1 : 1.4 $\pm$ 5%
Element		6 Group 7 Elements
Picture Size		4.8x6.4mm 3.6x4.8
Angle	Ver.	59.4° 45.1°
	Hor.	79.0° 59.7°
	Dia.	98.2° 74.5°
Distortion (TV)		-17.5%
Shooting Range at M.O.D	Ver.	180mm
	Hor.	260mm
	Dia.	364mm
Minimum Object Distance		0.2m
Flange Back		17.526 mm in air
Back Focus		9.96mm in air
Filter Screw Size		
Front/Rear Effective Dia.		Front: $\phi$ 15.1mm Rear: $\phi$ 10.1mm
Mount		C-MOUNT
Exit Pupil		-17.5mm
Temperature Range		-10~+45° C
Storage Temperature Range		-40~+60° C
Resolution		Center: 100LP/mm Corner: 60LP/mm
Stopper Strength		10kgf · cm
Endurance Tests		Iris: 5,000Times Focus: 5,000Times
Operating Torque		Iris: 50~600gf · cm Focus: 100~1000gf · cm
Weight		71g $\pm$ 5g

1/2" 1.4/4.5mm

LM5NCL