



1/2" 1.4/12mm C		1/3"
Focal Length	f=12mm±5%	
Max. Diameter (Ratio)	F=1 : 1.4±5%	
Element	5 Group 6 Elements	
Picture Size	4.8x6.4mm	3.6x4.8
Angle	Ver.	23.0°
	Hor.	30.7°
	Dia.	38.5°
Distortion (TV)	-0.8%	
Shooting Range at M.O.D.	Ver.	123mm
	Hor.	167mm
	Dia.	213mm
Minimum Object Distance	0.3m	
Flange Back	17.526 mm in air	
Back Focus	11.12mm in air	
Filter Screw Size	M30.5x0.5	
Front/Rear Effective Dia.	F: $\phi 12.3$ mm	R: $\phi 11.7$ mm
Mount	C-MOUNT	
Exit Pupil	-38.9mm	
Temperature Range	-10~+45° C	
Storage Temperature Range	-40~+60° C	
Resolution	Center: 100LP/mm	Corner: 60LP/mm
Stopper Strength	10kgf · cm	
Endurance Tests	Iris: 5,000Times	Focus: 5,000Times
Operating Torque	Iris: 50~600gf · cm	Focus: 100~1000gf · cm
Weight	70g±5g	

1/2" 1.4/12mm

LM12NCL