




945 East 11th Avenue Tampa, FL 33605
 Phone: (813) 984-0125
 Contact: Sales@ pyramidimaging.com
<https://pyramidimaging.com>

5 PIN CONNECTOR (MOTOR)

PIN 1 = MOTOR A+
 PIN 2 = MOTOR A-
 PIN 3 = MOTOR B+
 PIN 4 = MOTOR B-
 PIN 5 = UNUSED

CONNECTOR PINOUT
 PIN1 = MOTOR A+
 PIN 3 = +5Vdc
 PIN 6 = MOTOR B+
 PIN 7 = MOTOR A-
 PIN 8 = FAR LIMIT
 PIN 11 = MOTOR B-
 PIN 12 = NEAR LIMIT
 PIN 13 = COMMON

15 PIN HD FEMALE D-SUB



4 PIN CONNECTOR (SENSOR)

PIN 1 = COMMON
 PIN 2 = FAR LIMIT
 PIN 3 = +5Vdc
 PIN 4 = NEAR LIMIT

OUTLINE

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES (MM) AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		PROPRIETARY AND CONFIDENTIAL				
SCALE: 1:1		THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF NAVITAR. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF NAVITAR IS PROHIBITED.				
WEIGHT:	9.22 g	0.0 inch 1.0		CABLE HARNESS, 2PH MTR D-SUB, 24"		
DR BY:	K. Arnold	0.0 mm 25.0				
CH BY:	R. PODLENA	Tolerance = +/- 1"		SIZE	PART NUMBER	REV
PROJECT #:	E3496			B	1-40283	A
DATE DR:	4/21/2017					